

Brocade
 130 Holger Way, San Jose, CA 95134
 T. 408.333.8000 F. 408.333.8101
 www.brocade.com

November 18, 2013

Dear Brocade Partner,

This letter is to notify you that Brocade is initiating the End of Life (EOL) process for select part numbers of the Brocade® MLX/XMR system, management modules, FRUs and accessories listed below under Brocade EOL Part Number column. Brocade provides this notification to assist your planning for last time purchases of this product.

The recommended direct replacement is listed below under Replace Part Number column. If you have questions about our products please contact your account representative for information.

Our goal is to ensure a smooth transition so please note the following so that you may plan accordingly.

Brocade MLX/XMR Management Module EOL Part Number

- EOL notification date November 18, 2013
- Last Time Order (LTO) final, non-cancelable, non-returnable order due date (subject to lead time and availability) March 18, 2014
- Last Customer Ship (LCS) date May 18, 2014
- End of Support (EOS) date May 18, 2019

Brocade EOL Part Number	EOL Product Description	Replacement Part Number	Replacement Product Description
NI-MLX-MR	Netron MLX Series management module with 1 GB ECC memory, dual PCMCIA slots, EIA/TIA-232 (RS-232) serial console port and 10/100/1000 Ethernet port for out-of-band management	BR-MLX-MR2-M	MLXe/MLX Gen2 management (M) module for 4-, 8- and 16-slot systems. Includes 4 GB RAM, 1 internal compact flash drive (2GB), 1 external compact flash slot with included 2GB card, RS-232 serial console port and 10/100/1000 Ethernet port for management
NI-MLX-32-MR	Netron MLX 32 management module with 1 GB ECC memory, dual PCMCIA slots, EIA/TIA-232 (RS-232) serial console port and 10/100/1000 Ethernet port for out-of-band management	BR-MLX-32-MR2-M	MLXe/MLX Gen2 management (M) module for 32-slot systems. Includes 4 GB RAM, 1 internal compact flash drive (2GB), 1 external compact flash slot with included 2GB card, RS-232 serial console port and 10/100/1000 Ethernet port for management
NI-XMR-MR	Netron XMR Series management module with 2 GB ECC memory, dual PCMCIA slots, EIA/TIA-232 (RS-232) serial console port and 10/100/1000 Ethernet port for out-of-band management	BR-MLX-MR2-X	MLXe/XMR Gen2 management (X) module for 4-, 8- and 16-slot systems. Includes 4 GB RAM, 1 internal compact flash drive (2GB), 1 external compact flash slot with included 2GB card, RS-232 serial console port and 10/100/1000 Ethernet port for management
NI-XMR-32-MR	Netron XMR 32000 management module with 2 GB ECC memory, dual PCMCIA slots, EIA/TIA-232 (RS-232) serial console port and 10/100/1000 Ethernet port for out-of-	BR-MLX-32-MR2-X	MLXe/MLX Gen2 management (X) module for 32-slot systems. Includes 4 GB RAM, 1 internal compact flash drive (2GB), 1 external compact flash slot with

	band management		included 2GB card, RS-232 serial console port and 10/100/1000 Ethernet port for management
BR-MLXE-4-MR-M-AC	Brocade MLXe-4 AC system with 2 high speed switch fabric modules, 1 1200W AC power supply, 4 exhaust fan assembly kits and air filter. MLX management module included. Power cord not included	BR-MLXE-4-MR2-M-AC	Brocade MLXe-4 AC system with 1 MR2 (M) management module, 2 high speed switch fabric modules, 1 1800W AC power supply, 4 exhaust fan assembly kits and air filter. Power cord not included.
BR-MLXE-4-MR-M-DC	Brocade MLXe-4 DC system with 2 high speed switch fabric modules, 1 1200W DC power supply, 4 exhaust fan assembly kits and air filter. MLX management module included. Power cord not included	BR-MLXE-4-MR2-M-DC	Brocade MLXe-4 DC system with 1 MR2 (M) management module, 2 high speed switch fabric modules, 1 1800W DC power supply, 4 exhaust fan assembly kits and air filter. Power cord not included.
BR-MLXE-4-MR-X-AC	Brocade MLXe-4 AC system with 2 high speed switch fabric modules, 1 1200W AC power supply, 4 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-4-MR2-X-AC	Brocade MLXe-4 AC system with 1 MR2 (X) management module, 2 high speed switch fabric modules, 1 1800W AC power supply, 4 exhaust fan assembly kits and air filter. Power cord not included.
BR-MLXE-4-MR-X-DC	Brocade MLXe-4 DC system with 2 high speed switch fabric modules, 1 1200W DC power supply, 4 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-4-MR2-X-DC	Brocade MLXe-4 DC system with 1 MR2 (X) management module, 2 high speed switch fabric modules, 1 1800W DC power supply, 4 exhaust fan assembly kits and air filter. Power cord not included.
BR-MLXE-8-MR-M-AC	Brocade MLXe-8 AC system with 2 high speed switch fabric modules, 2 1200W AC power supplies, 2 exhaust fan assembly kits and air filter. MLX management module included. Power cord not included	BR-MLXE-8-MR2-M-AC	Brocade MLXe-8 AC system with 1 MR2 (M) management module, 2 high speed switch fabric modules, 2 1800W AC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-8-MR-M-DC	Brocade MLXe-8 DC system with 2 high speed switch fabric modules, 2 1200W DC power supplies, 2 exhaust fan assembly kits and air filter. MLX management module included. Power cord not included	BR-MLXE-8-MR2-M-DC	Brocade MLXe-8 DC system with 1 MR2 (M) management module, 2 high speed switch fabric modules, 2 1800W DC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-8-MR-X-AC	Brocade MLXe-8 AC system with 2 high speed switch fabric modules, 2 1200W AC power supplies, 2 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-8-MR2-X-AC	Brocade MLXe-8 AC system with 1 MR2 (X) management module, 2 high speed switch fabric modules, 2 1800W AC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-8-MR-X-DC	Brocade MLXe-8 DC system with 2 high speed switch fabric modules, 2 1200W DC power supplies, 2 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-8-MR2-X-DC	Brocade MLXe-8 DC system with 1 MR2 (X) management module, 2 high speed switch fabric modules, 2 1800W DC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-16-MR-M-AC	Brocade MLXe-16 AC system with 3 high speed switch fabric modules, 4 1200W AC power supplies, 2 exhaust fan assembly kits and air filter. MLX management module	BR-MLXE-16-MR2-M-AC	Brocade MLXe-16 AC system with 1 MR2 (M) management module, 3 high speed switch fabric modules, 4 1800W AC power supplies, 2 exhaust fan

	included. Power cord not included		assembly kits and air filter. Power cord not included
BR-MLXE-16-MR-M-DC	Brocade MLXe-16 DC system with 3 high speed switch fabric modules, 4 1200W DC power supplies, 2 exhaust fan assembly kits and air filter. MLX management module included. Power cord not included	BR-MLXE-16-MR2-M-DC	Brocade MLXe-16 DC system with 1 MR2 (M) management module, 3 high speed switch fabric modules, 4 1800W DC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-16-MR-X-AC	Brocade MLXe-16 AC system with 3 high speed switch fabric modules, 4 1200W AC power supplies, 2 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-16-MR2-X-AC	Brocade MLXe-16 AC system with 1 MR2 (X) management module, 3 high speed switch fabric modules, 4 1800W AC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-16-MR-X-DC	Brocade MLXe-16 DC system with 3 high speed switch fabric modules, 4 1200W DC power supplies, 2 exhaust fan assembly kits and air filter. XMR management module included. Power cord not included	BR-MLXE-16-MR2-X-DC	Brocade MLXe-16 DC system with 1 MR2 (X) management module, 3 high speed switch fabric modules, 4 1800W DC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included
BR-MLXE-32-MR-M-AC	Brocade MLXe-32 AC system with 7 high speed switch fabric modules, 4 2400W AC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. MLX management module included. Power cord not included	BR-MLXE-32-MR2-M-AC	Brocade MLXe-32 AC system with 1 MR2 (M) management module, 7 high speed switch fabric modules, 4 3000W AC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. Power cord not included
BR-MLXE-32-MR-M-DC	Brocade MLXe-32 DC system with 7 high speed switch fabric modules, 4 2400W DC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. MLX management module included. Power cord not included	BR-MLXE-32-MR2-M-DC	Brocade MLXe-32 DC system with 1 MR2 (M) management module, 7 high speed switch fabric modules, 4 3000W DC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. Power cord not included
BR-MLXE-32-MR-X-AC	Brocade MLXe-32 AC system with 7 high speed switch fabric modules, 4 2400W AC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. XMR management module included. Power cord not included	BR-MLXE-32-MR2-X-AC	Brocade MLXe-32 AC system with 1 MR2 (X) management module, 7 high speed switch fabric modules, 4 3000W AC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. Power cord not included
BR-MLXE-32-MR-X-DC	Brocade MLXe-32 DC system with 7 high speed switch fabric modules, 4 2400W DC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. XMR management module included. Power cord not included	BR-MLXE-32-MR2-X-DC	Brocade MLXe-32 DC system with 1 MR2 (X) management module, 7 high speed switch fabric modules, 4 3000W DC power supplies, 2 power supply fans, 8 exhaust fans, 2 air filters and cable management system. Power cord not included
KIT-CAB-CINCH	Cable cinches for cabling mini RJ-21 or RJ-45 cables. Package contains 8 cinches.	None	
NIBI-X-16-PKG	Shipping box kit for use with BigIron RX-16, NetIron MLX-16 or NetIron XMR 16000	None	
NIBI-X-4-PKG	Shipping box kit for use with BigIron RX-4, NetIron MLX-4 or NetIron XMR 4000	None	

NIBI-X-8-PKG	Shipping box kit for use with BigIron RX-8, NetIron MLX-8 or NetIron XMR 8000	None	
NI-MLX-16-CRATE	Wooden shipping crate for NetIron MLX 16 chassis	None	
RMK-BNX-16	Mid-mount Rack Mount Kit for BigIron RX-16 and NetIron MLX-16 or XMR-16000 Chassis	None	
NIBI-16-FAN-EXH-A	NetIron MLX/XMR and BigIron RX high speed exhaust fan assembly kit for 16-slot chassis, includes 2 fans	None	
NI-XMR-16-CRATE	Wooden shipping crate for NetIron MLX 16 chassis	None	
RMK-BNX-4	Mid-mount Rack Mount Kit for BigIron RX-4 and NetIron MLX-4 or XMR-4000 chassis	None	
RMK-BNX-8	Mid-mount Rack Mount Kit for BigIron RX-8 and NetIron MLX-8 or XMR-8000 chassis	None	

Support Pricing

Beginning one (1) year after the last customer ship date, May 18, 2014 and until the End of Support date, May 18, 2019, there will be a 10 percent (10%) annual price increase for end-user service and support.

Subject to the provisions of your support agreement with Brocade, support and access to software for the product will be available through Brocade's 7x24 Technical Assistance Center (TAC) or on-line via the Brocade MySupport portal.*

Please contact your account manager for any questions or concerns that you may have.

Sincerely,
BROCADE

*Additional restrictions and limitations apply to support for software and such support may be cancelled or changed without notice. *Contact your sales representative for more information.*

© 2013 Brocade Communications Systems, Inc. All Rights Reserved.

Brocade, the B-wing symbol, is a registered trademark of Brocade Communications Systems, Inc., in the United States and/or in other countries. All other brands, products, or service names are or may be trademarks or service marks of, and are used to identify, products or services of their respective owners.