

SERVERIRON 4G APPLICATION SWITCHES



APPLICATION ACCELERATION, AVAILABILITY
AND SECURITY

KEY HIGHLIGHTS

- ▶ Industry's most feature-rich entry-class application and content management switch family to deliver acceleration, availability and security to business-critical applications
- ▶ Purpose-built switches optimized for IP, VoIP, Web and secure Web application delivery in small- and mid-sized data centers, and server farms
- ▶ Comprehensive features for local and global application traffic management, Web acceleration, and server farm and application security
- ▶ Switch model with integrated hardware-based SSL acceleration support for secure Web and other SSL-enabled applications
- ▶ FIPS 140-2 Level 2 certification for SSL acceleration
- ▶ Features TrafficWorks OS and integrated Global Server Load Balancing (GSLB) proven on high-end ServerIron systems in the world's most demanding networks

Overview

Foundry's ServerIron® 4G family of application delivery controllers are designed to meet the growing demand for secure and accelerated delivery of Web and triple-play services in small- and mid-sized data centers. The product family, which includes two of the industry's most feature-rich and affordable switches, supports a broad range of IP- and Web-based applications in enterprise, e-commerce, service provider and government organizations.

As IP-based applications become a critical business foundation for these organizations, market demand for cost-effective application acceleration and delivery solutions that maintain

optimized and always-on services is growing. Foundry's ServerIron 4G switches meet this demand, and help businesses see an immediate improvement in the performance and uptime of critical applications, including the ones that run on Oracle, BEA, IBM, Microsoft and Web platforms. With Foundry's purpose-built features for such applications, organizations can accelerate the delivery of business-critical services to local and remote users from a global network of data centers.

Foundry's ServerIron 4G family of switches maximizes application uptime, security and performance by leveraging highly-advanced traffic management and security features. With Foundry's highly integrated and standards-based global server load balancing (GSLB), the ServerIron 4G provides service redundancy across multiple data center locations to ensure business continuity during disasters. Using ASIC-based security feature implementation, the ServerIron 4G protects server farms and applications against near wire-speed Gigabit rate denial of service (DoS) attacks without compromising application performance to legitimate users.

The ServerIron 4G, 4G-SSL and 4G-SSL-FIPS share a common ASIC-based architecture. The ServerIron 4G switch offers data-center class resiliency, and hardware-based security and acceleration features to ensure uptime and protection of business-critical applications. The ServerIron 4G-SSL switch additionally features integrated hardware-based Secure Sockets Layer (SSL) acceleration to increase the performance of secure Web transactions by offloading SSL processing from servers. The ServerIron 4G-SSL switch also helps centralize and simplify SSL certificate management. The ServerIron 4G-SSL-FIPS comes with a Federal Information Processing Standard (FIPS) 140-2 Level 2 certified SSL accelerator. FIPS specifies that computer and telecommunication systems (including voice systems) must be certified and protect unclassified information by a cryptographic module.

Platform Features and Benefits

- ▶ **Integrated SSL Acceleration**—Model with integrated hardware SSL acceleration for secure Web applications
- ▶ **Redundant Power Supplies**—Support for redundant, removable and hot-swappable AC & DC power supplies
- ▶ **Flexible Connectivity**—Copper and fiber gigabit combination media options and support for 100 Mbps copper connectivity
- ▶ **Network Design Flexibility**—Seamless network integration with support for one-arm, in-line and DSR topology designs
- ▶ **Security**—Hardware-assisted wire-speed DoS/DDoS prevention, ACLs, and sFlow network monitoring combined with highly secure embedded real-time OS,
- ▶ **FIPS 140-2 Level 2 certified** powered by Foundry Networks FIPS 140-2 Cryptographics Module (Hardware Versions: FN1120-VBD-03-0200; 4.6.1)
- ▶ **Reliability**—Resilient switching and routing foundation with advanced support for RIPv2, OSPF, VRRP and VRRP-E

Specifications

FEATURE	SERVERIRON 4G	SERVERIRON 4G-SSL	SERVERIRON 4G-SSL-FIPS
Concurrent Sessions	5,000,000	5,000,000	5,000,000
Application Throughput	1.5 Gbps	1.5 Gbps	1.5 Gbps
Layer 4 Connection Performance (CPS)	40,000	40,000	40,000
Layer 4 Transaction Performance (TPS)	350,000	350,000	350,000
Layer 7 Connection Performance (CPS)	15,000	15,000	15,000
Layer 7 Transaction Performance (TPS)	35,000	35,000	35,000
SSL Transaction Performance (TPS)	N/A	8,500	7,200
SSL Bulk Throughput	N/A	500 Mbps	300 Mbps
Concurrent SSL Sessions	N/A	16,000	16,000
SSL Certificates	N/A	512	512
DDoS & DoS (SYN Flood) Protection (SYN/Sec)	1 million	1 million	1 million
Number of 100 Mbps Ports	4	4	4
Number of Copper Gigabit Ports	4	4	4
Number of Fiber Gigabit Ports	4	4	4
Total number of ports	4	4	4
Base Layer 3 Features	Supports servers on different subnets from that of Virtual IP address		
Advanced Layer 3 Features (Premium TrafficWorks OS Upgrade Required)	OSPF, RIPv2, VRRP, VRRP-E, Static Routing		
Physical Dimensions	2.625"h x 17.5"w x 23"d (6.67 x 44.5 x 58.4 cm)		
Weight	30 lbs (15 kg)	30 lbs (15 kg)	30 lbs (15 kg)
Power Requirements	AC input voltage: 100vAC @ 3.5A MAX, 240vAC @ 1.5A MAX, 50-60Hz per auto-sensing, auto-switching power supply. DC input voltage: -36vDC to -48vDC @ 9.0A MAX		

Ordering Information

PART NUMBER	DESCRIPTION
ServerIron 4G Base Platforms	
SI-4G	1.5 RU fixed configuration ServerIron with 4-port combo (fiber & copper) and one AC power supply (RPS5)
SI-4G-SSL	1.5 RU fixed configuration SSL-integrated ServerIron with 4-port combo (fiber & copper) and one AC power supply (RPS5)
SI-4G-SSL-FIPS	1.5 RU fixed configuration SSL-integration FIPS 140-2 level 2 certified ServerIron with 4-port combo (fiber & copper) and one AC power supply (RPS5)
ServerIron 4G Power Supply Options	
RPS5	Redundant AC Power Supply for ServerIron 4G and 4G-SSL
ServerIron 4G Mini GBIC Options	
E1MG-SX	1000Base-SX mini-GBIC optic, MMF, LC connector
E1MTG-SX	1000Base-SX mini-GBIC optic, MMF, MTRJ connector
E1MG-LX	1000Base-LX mini-GBIC optic, SMF, LC connector
E1MG-LHA	1000Base-LHA mini-GBIC optic, SMF, LC connector
E1MG-LHB	1000Base-LHB mini-GBIC optic, SMF, LC connector, 150 km Maximum reach
E1MG-TX	1000BASE-TX Mini-GBIC Copper, RJ-45 Connector
ServerIron 4G Premium Software	
SI-4G-TW-PREM	ServerIron 4G Premium TrafficWorks GSLB and Advanced Layer 3 Upgrade



* DC power options available

Foundry Networks, Inc.
Corporate Headquarters
4980 Great America Parkway
Santa Clara, CA 95054

U.S. and Canada Toll-free:
1-888-TURBOLAN (887-2652)
Direct telephone: +1 408.207.1700
Fax: +1 408.207.1709

Email: info@foundrynet.com
www.foundrynet.com

Foundry Networks, Inc. (NASDAQ: FDRY) is a leading provider of high-performance enterprise and service provider switching, routing, security and Web traffic management solutions, including Layer 2/3 LAN switches, Layer 3 Backbone switches, Layer 4-7 application switches, wireless LAN and access points, metro and core routers. Foundry's customers include the world's premier ISPs, metro service providers, and enterprises, including e-commerce sites, universities, entertainment, health and wellness, government, financial and manufacturing companies. For more information about the company and its products, call 1.888.TURBOLAN or visit www.foundrynet.com.

The foregoing may contain "forward-looking statements" which are based on management's current information and beliefs as well as on a number of assumptions concerning future events made by management. These forward-looking statements include, without limitation, statements by executives or spokespeople regarding Foundry's positioning and potential plans. The forward-looking statements are only predictions and are subject to a number of risks and uncertainties, which could cause actual results to differ materially. Foundry assumes no obligation to update the forward-looking statements contained in this document. Furthermore, no statements made by Foundry Networks, Inc. ("Foundry"), or information contained herein, may be deemed to constitute either an amendment of an existing agreement or an implied new commitment, promise or legal obligation by Foundry to develop or deliver any specific product, feature or functionality.

© 2008 Foundry Networks, Inc. All Rights Reserved. Foundry Networks, BigIron, NetIron, IronShield, IronView, IronWare, JetCore, JetScope, MetroLink, Terathon, TrafficWorks, Power of Performance and the 'Iron' family of marks are trademarks or registered trademarks of Foundry Networks, Inc. in the United States and other countries. sFlow is a registered trademark of InMon Corporation. All others are trademarks of their respective owners. FDRY_DS-051_SI-4G_2008_04_Rev03